



Product Information Sheet

Issue Date 01/04/12

Page 1 of 3

DELTA BOOM CLEAN

TANK CLEANER

**ACTIVE CONSTITUENTS: 300 g/Kg SODIUM HYDROXIDE,
250 g/Kg SODIUM TRIPOLYPHOSPHATE,
90 g/Kg AVAILABLE CHLORINE (Cl)**

APPLICATION

DELTA BOOM CLEAN is a tank cleaner and decontaminant that will successfully decontaminate virtually all pesticides including Sulfonylurea and Phenoxy based herbicides.

BENEFITS

- Multi Functional
- Long Shelf Life
- Concentrated formula
- Cost effective
- Convenient

DIRECTIONS :

GENERAL INSTRUCTIONS :

DO NOT mix ammonia based cleaners with Delta Boom Clean. A toxic gas may be produced.
DO NOT leave in contact with brass fitting for prolonged periods.
DO NOT mix in galvanized or aluminium containers.

Dissolve DELTA BOOM CLEAN in cold water . This product will generate heat and become unstable if it comes into contact with small amounts of moisture. To avoid hazardous situations please handle this product carefully and observe the following:

- Ensure that maximum agitation is running prior to adding product to spray tank.
- Ensure that spray tank is at least half full of water before adding product to tank.
- Ensure that the filter basket is removed before adding through top port of tank.
- Ensure that the required quantity of product is measured out using a dry measuring vessel.
- Ensure that product is promptly resealed after required quantity is measured out.

The Product Information Sheet supersedes all previous issues for this product. Information contained herein is offered in good faith as being true and accurate to the best of our knowledge, but as the conditions of use are beyond our control, no guarantees are either stated or implied.

Where health or safety data given discloses a risk to the user or the environment, it is the responsibility of the purchaser to pass on the information to employees who may be using the product, ensuring that adequate safety procedures are used, including good industrial hygiene.

Australia: Tasman Chemicals Pty Ltd

Victoria: 1-7 Bell Grove Braeside Victoria 3195 Ph: 61-3-9587 6777 Fax: 61-3-9587 5255

New South Wales: Unit 12/155 Glendenning Road, Glendenning 2761 Ph: 61-2-9625 5225 Fax: 61-2-9625 5632

South Australia: 4/159 William Street, Beverley 5009 Ph: 61-8-8243 0644 Fax: 61-8-8243 0622

Tasmania: 1 Durham Road, Cooee 7320 Ph: 61-3-6432 1988 Fax: 61-3-6432 1989

Western Australia: Unit 1, 23 Dillington Pass, Landsdale WA 6065 Ph: 61-8-9248 9711 Fax: 61-8-9249 9183

Queensland: Unit 12/172 Redland Bay Road, Capalaba, 4157 Ph: 61-7-3245 2862 Fax: 61-7-3245 2413



Product Information Sheet

Issue Date 01/04/12

Page 2 of 3

DELTA BOOM CLEAN

TANK CLEANER

CHEMICAL TYPE	SITUATION	USE RATE	PROCEDURE
Non Persistent Chemicals (Insecticides, fungicides, herbicides other than those below)	Spray tank, hoses, lines and all associated spray equipment.	100 grams per 100 L	<ol style="list-style-type: none"> 1 Clean spray equipment immediately after spraying is completed. 2. Hose down the outside of the unit; otherwise chemical adhering to the outside could contaminate the unit again after it has been cleaned. 3. Drain the tank, then flush tank, boom, hoses with clean water for a minimum of 10 minutes. 4. Half fill the tank with clean water and begin agitation. Slowly add Delta Boom Clean. Fill tank with water. 5. Agitate vigorously for 15 minutes and re-circulate. 6. Use the hand lance or return hose to clean the top of the tank and around the filter basket. 7. Open spray booms and spray out. 8 Repeat procedure above.
Sulfonylurea Herbicides (Including: Chlorsulfuron, Metsulfuron, Triasulfuron, Sulfometuron)	Spray tank, hoses, lines and all associated spray equipment.	200 grams per 100 L	<ol style="list-style-type: none"> 1. Clean spray equipment immediately after spraying is completed. 2. Hose down the outside of the unit; otherwise herbicide adhering to the outside could contaminate the unit again after it has been cleaned. 3. Drain the tank, then flush tank, boom, hoses with clean water for a minimum of 15 minutes. 4. Half fill the tank with clean water and begin agitation. Slowly add Delta Boom Clean and fill tank with water. 5. Agitate vigorously for 20 minutes and recirculate. 6. Use the hand lance or return hose to clean the top of the tank and around the filter basket. Care should be taken to wash out any nooks and crannies, moulding seams etc in the tank where herbicide could be deposited. 7. Let the unit stand for 15 to 30 minutes. Run for 5 minutes and let stand. 8. Open spray booms and spray out. 9. Repeat steps 4 to 8 above. The solution may be left to soak overnight for an especially thorough cleaning.

The Product Information Sheet supersedes all previous issues for this product. Information contained herein is offered in good faith as being true and accurate to the best of our knowledge, but as the conditions of use are beyond our control, no guarantees are either stated or implied.

Where health or safety data given discloses a risk to the user or the environment, it is the responsibility of the purchaser to pass on the information to employees who may be using the product, ensuring that adequate safety procedures are used, including good industrial hygiene.

Australia: Tasman Chemicals Pty Ltd

Victoria: 1-7 Bell Grove Braeside Victoria 3195 Ph: 61-3-9587 6777 Fax: 61-3-9587 5255

New South Wales: Unit 12/155 Glendenning Road, Glendenning 2761 Ph: 61-2-9625 5225 Fax: 61-2-9625 5632

South Australia: 4/159 William Street, Beverley 5009 Ph: 61-8-8243 0644 Fax: 61-8-8243 0622

Tasmania: 1 Durham Road, Cooee 7320 Ph: 61-3-6432 1988 Fax: 61-3-6432 1989

Western Australia: Unit 1, 23 Dillington Pass, Landsdale WA 6065 Ph: 61-8-9248 9711 Fax: 61-8-9249 9183

Queensland: Unit 12/172 Redland Bay Road, Capalaba, 4157 Ph: 61-7-3245 2862 Fax: 61-7-3245 2413



Product Information Sheet

Issue Date 01/04/12

Page 3 of 3

DELTA BOOM CLEAN

TANK CLEANER

Phenoxy Herbicide Ester formulations (Including: 2,4-D Ester, MCPA ester, Triclopyr, Tri-pick, Jaguar, Tigrex etc)	Spray tank, hoses, lines made of plastic or rubber.	250 - 500 grams per 100L	Use same procedure as outlined for steps 1 through to 6 for Sulfonylurea Herbicides 7. Let the unit stand for 3 to 4 hours. Run for 5 minutes and let stand. 8. Open spray booms and spray out. 9. Repeat steps 4 to 8 above. The solution may be left to soak overnight for an especially thorough cleaning.
All chemicals	Nozzles and Screens / filters	10 grams per 10 L	Remove and clean separately. Immerse in solution of Delta Boom Clean and allow to stand for 30 minutes. Remove any residue with a stiff brush. Rinse in clean water before reconnection to boom.
Stain and scale	Removal from spray equipment	40 grams per 10 L	Mix Delta Boom Clean in a bucket and scrub stained areas with stiff brush. Wear rubber gloves and eye protection.
All chemicals	When sprayer is to be re-used immediately		This procedure ensures that any excess foam that may contain chlorine residue is completely removed from the tank. If this procedure is not carried out the next chemical batch may be broken down to some degree as a result of the residual chlorine remaining in the foam at the base of the tank. 1. Part fill the tank with water. 2. Add 5 to 10 ml/100L of an antifoam agent or 1 kg/100L of ammonium sulfate. 3. Agitate for 5 minutes and recirculate before spraying out. 4. Rinse tank with clean water.

HEALTH & SAFETY INFORMATION:

See separate Material Safety Data Sheet available upon request.

PACKAGING ♦ 10 kg Pail

The Product Information Sheet supersedes all previous issues for this product. Information contained herein is offered in good faith as being true and accurate to the best of our knowledge, but as the conditions of use are beyond our control, no guarantees are either stated or implied.

Where health or safety data given discloses a risk to the user or the environment, it is the responsibility of the purchaser to pass on the information to employees who may be using the product, ensuring that adequate safety procedures are used, including good industrial hygiene.

Australia: Tasman Chemicals Pty Ltd

Victoria: 1-7 Bell Grove Braeside Victoria 3195 Ph: 61-3-9587 6777 Fax: 61-3-9587 5255

New South Wales: Unit 12/155 Glendenning Road, Glendenning 2761 Ph: 61-2-9625 5225 Fax: 61-2-9625 5632

South Australia: 4/159 William Street, Beverley 5009 Ph: 61-8-8243 0644 Fax: 61-8-8243 0622

Tasmania: 1 Durham Road, Cooee 7320 Ph: 61-3-6432 1988 Fax: 61-3-6432 1989

Western Australia: Unit 1, 23 Dillington Pass, Landsdale WA 6065 Ph: 61-8-9248 9711 Fax: 61-8-9249 9183

Queensland: Unit 12/172 Redland Bay Road, Capalaba, 4157 Ph: 61-7-3245 2862 Fax: 61-7-3245 2413