



## Product Information Sheet

Re-Issue Date: 01/04/03  
Page 1 of 2

### **SUPER CHLOR**

Heavy Duty Self Foaming Chlorinated Detergent

#### **DESCRIPTION**

SUPER CHLOR is a heavy duty self foaming chlorinated detergent for the food industry. It is non corrosive at use dilution rates on stainless steel and plastic surfaces. Care should be taken when the cleaning of brass, copper and aluminium is employed. It is therefore recommended that correct dilution rates and minimum contact times are adhered to when applied to these surfaces.

#### **APPLICATION**

SUPER CHLOR is formulated specifically for applications in the food industry. These includes abattoirs, poultry processors and other associated food industries.

SUPER CHLOR is designed to be used through a foaming unit to remove all food soils such as blood, fat and oils

#### **BENEFITS**

- Cleans and sanitises in the one application.
- Broad spectrum sanitiser kills all bacteria.
- Suitable for use in all types of water quality.
- Contains a scale inhibitor to prevent the build up of hardness salts on the surface being cleaned.
- Highly alkaline to easily penetrate and remove heavy fatty soils.

The Product Information Sheet supersedes all previous issues for this product. Information contained herein is offered in good faith as being true and accurate to the best of our knowledge, but as the conditions of use are beyond our control, no guarantees are either stated or implied.

Where health or safety data given discloses a risk to the user or the environment, it is the responsibility of the purchaser to pass on the information to employees who may be using the product, ensuring that adequate safety procedures are used, including good industrial hygiene.

#### **Tasman Chemicals Pty Ltd**

**Victoria:** 1-7 Bell Grove, Braeside 3195 Ph: 61-3-9587 6777 Fax: 61-3-9587 5255

**New South Wales:** Suite 15, 380 Pennant Hills Road, Pennant Hills 2120 Ph: 61-2-9980 5999 Fax: 61-2-9484 8647

**South Australia:** 4/159 Williams Street, Beverley 5009 Ph: 61-8-8243 0644 Fax: 61-8-8243 0622

**Tasmania:** 1 Durham Road, Cooee 7320 Ph: 61-3-6432 1988 Fax: 61-3-6432 1989

**Western Australia:** 8 O'Connor Way, Wangara 6065 Ph: 61-8-9309 2100 Fax: 61-3-9309 2511

**Queensland:** Unit 12/172 Redland Bay Road, Capalaba, 4157 Ph: 61-7-3245 2862 Fax: 61-7-3245 2413



## Product Information Sheet

**SUPER CHLOR**

**Page 2 of 2**

### **DIRECTIONS FOR USE**

SUPER CHLOR should be used through either a low volume or high volume foaming unit.

Typically the concentration produced through the foaming unit will be between 25 - 50 gm / litre. The foam should then be rinsed off with high pressure potable water.

SUPER CHLOR can also be employed in manual applications at concentrations similar to above.

### **HEALTH & SAFETY INFORMATION**

See separate Material Safety Data Sheet available on request.

### **PACKAGING**

20 Lt	Polyethylene drums
200 Lt	Polyethylene drums

The Product Information Sheet supersedes all previous issues for this product. Information contained herein is offered in good faith as being true and accurate to the best of our knowledge, but as the conditions of use are beyond our control, no guarantees are either stated or implied.

Where health or safety data given discloses a risk to the user or the environment, it is the responsibility of the purchaser to pass on the information to employees who may be using the product, ensuring that adequate safety procedures are used, including good industrial hygiene.

#### ***Tasman Chemicals Pty Ltd***

***Victoria:*** 1-7 Bell Grove, Braeside 3195 Ph: 61-3-9587 6777 Fax: 61-3-9587 5255

***New South Wales:*** Suite 15, 380 Pennant Hills Road, Pennant Hills 2120 Ph: 61-2-9980 5999 Fax: 61-2-9484 8647

***South Australia:*** 4/159 Williams Street, Beverley 5009 Ph: 61-8-8243 0644 Fax: 61-8-8243 0622

***Tasmania:*** 1 Durham Road, Cooee 7320 Ph: 61-3-6432 1988 Fax: 61-3-6432 1989

***Western Australia:*** 8 O'Connor Way, Wangara 6065 Ph: 61-8-9309 2100 Fax: 61-3-9309 2511

***Queensland:*** Unit 12/172 Redland Bay Road, Capalaba, 4157 Ph: 61-7-3245 2862 Fax: 61-7-3245 2413